



City of Bremerton

PUBLIC WORKS

DESIGN/CONSTRUCTION STANDARDS

CHAIN LINK FENCE, TYPE 1 FOR PONDS ONLY

Alteration of this drawing is prohibited. Any approval of an altered drawing is unauthorized and void.

4066


Revision Date
12/22/15

MEMBER

TYPE	TOP RAIL			LINE & BRACE POST						END, CORNER & PULL POST			GATE POST		ALL POSTS	
	ROUND	HI-COLUMN SIZE (INCHES)	WEIGHT PER FOOT (POUNDS)	ROUND	HI-COLUMN SIZE (INCHES)	WEIGHT PER FOOT (POUNDS)	ROLL FORMED SIZE (INCHES)	WEIGHT PER FOOT (POUNDS)	ROUND	1.0 PIPE (INCHES)	WEIGHT PER FOOT (POUNDS)	ROLL FORMED SIZE (INCHES)	WEIGHT PER FOOT (POUNDS)	ROUND		SIZE (INCHES)
1	1 1/4	1 1/4 X 1 5/8	2.27	2	2 1/4	4.0	1 5/8 X 1 7/8	2.34	2 1/2	5.79	3 1/2 X 3 1/2	5.14	3 1/2	9.1	3 1/2	9.1

NOTES:

1. ALL MATERIAL AND INSTALLATION SHALL BE PER SECTION 8-12 AND 9-16 OF THE WSDOT STANDARD SPECIFICATIONS
2. ALL CONCRETE POST BASES SHALL BE 12" MINIMUM DIAMETER.
3. ALL POSTS SHALL BE SPACED AT 10' MAXIMUM INTERVALS AND SET IN CONCRETE UNLESS OTHERWISE DIRECTED BY THE ENGINEER.
4. BOTTOM TENSION WIRE SHALL BE PLACED WITHIN THE LIMITS OF THE FIRST FULL FABRIC WEAVE.
5. DETAILS ARE ILLUSTRATIVE AND SHALL NOT LIMIT HARDWARE DESIGN OR POST SELECTION OF ANY PARTICULAR FENCE TYPE.
6. COATING FOR POSTS, TOP RAIL, FITTINGS AND FABRIC SHALL BE VINYL OR POWDER COATED FROM THE FACTORY.
7. SEE CITY STANDARD 4067 FOR GATE DETAIL.



END, CORNER AND PULL POST

LINE POST

ROLL FORMED SECTIONS

