



**NOTES:**

1. 5' MIN VERTICAL AND 10' MIN HORIZONTAL SEPARATION BETWEEN PUBLIC UTILITIES OR FROM PRIVATE UTILITIES
2. MIN SEPARATION REQUIREMENTS FROM PUBLIC UTILITIES APPLY WITHIN EASEMENTS AND PRIVATE PROPERTY.
3. SLOPE EASMENTS MAY BE REQUIRED.

	<p style="font-size: 1.2em; font-weight: bold; margin: 0;">City of Bremerton</p> <hr style="border: 1px solid black; margin: 5px 0;"/> <p style="font-weight: bold; margin: 0;">PUBLIC WORKS</p> <hr style="border: 1px solid black; margin: 5px 0;"/> <p style="font-weight: bold; margin: 0;">ENGINEERING DIVISION</p>	<p style="font-size: 1.2em; font-weight: bold; margin: 0;">TYPICAL UTILITY LOCATION</p>	<div style="border: 1px solid black; padding: 5px; font-weight: bold; font-size: 1.2em; margin: 0;">3009</div> <div style="border: 1px solid black; padding: 2px; font-weight: bold; font-size: 0.8em; margin: 0;">Revision Date 8/15/08</div>
		Alteration of this drawing is prohibited. Any approval of an altered drawing is unauthorized and void.	